Acer HL1810U Ultra-Short-Throw-Projektor 3500 ANSI Lumen DLP UHD 4K (3840x2160) 3D Weiß



Marke : Acer

Artikel-Code: MR.P0E11.001

Produktname : HL1810U

Acer HL1810U. Projektorhelligkeit: 3500 ANSI Lumen, Projektionstechnologie: DLP, native Auflösung des Projektors: UHD 4K (3840x2160). Typ der Lichtquelle: Laser, Lebensdauer der Lichtquelle: 20000 h, Lebensdauer der Lichtquelle (ökonomischer Modus): 30000 h. Fokus: Auto/Manuell, Zoomverhältnis: 1.3:1, Projektionsverhältnis: 0.25:1. Unterstützte Grafik-Auflösungen: 3840 x 2160, Unterstützte Video-Modi: 2160p. Geräuschpegel: 28 dB, Projektionsmodi: Zimmerdecke, Vorderseite, Hinten



Projektor	
Unterstützte Seitenverhältnisse	4:3, 16:9
Projektorhelligkeit *	3500 ANSI Lumen
Projektionstechnologie *	DLP
native Auflösung des Projektors *	UHD 4K (3840x2160)
Natives Seitenverhältnis *	16:9
Anzahl der Farben	1,07 Milliarden Farben
Projektorhelligkeit (Energiesparmodus)	2800 ANSI Lumen
Einheitlichkeit	80%
Horizontaler Scanbereich	15 - 135 kHz
Vertikaler Scanbereich	24 - 240 Hz
Trapezkorrektur, horizontal	+/- 30°
Trapezkorrektur, vertikal	+/- 30°

Lichtquelle	
Typ der Lichtquelle *	Laser
Lebensdauer der Lichtquelle *	20000 h
Lebensdauer der Lichtquelle (ökonomischer Modus)	30000 h

Objektiv	
Fokus *	Auto/Manuell
Zoom-Fähigkeit	✔
Zoomverhältnis	1.3:1
Projektionsverhältnis	0.25:1

Video	
3D *	✔
Unterstützte Grafik-Auflösungen	3840 x 2160
Unterstützte Video-Modi	2160p

Anschlüsse und Schnittstellen	
Audio (L,R) Out	1
Anzahl HDMI-Anschlüsse *	1
DVI Anschluss *	✘

Merkmale	
Projektionsmodi	Zimmerdecke, Vorderseite, Hinten
Geräuschpegel *	28 dB

Multimedia	
Eingebaute Lautsprecher *	✔
RMS-Leistung	10 W
Anzahl eingebauter Lautsprecher	2

Design	
Marktpositionierung *	Tragbar
Produkttyp *	Ultra-Short-Throw-Projektor
Produktfarbe *	Weiß

Bildschirm	
Eingebautes Display *	✘

Energie	
Energiequelle *	AC
Stromverbrauch (Standardbetrieb) *	70 W
Stromverbrauch (Standby) *	0,5 W
Verbrauch (Energiesparmodus)	40 W
AC Eingangsspannung	100-240 V

Gewicht und Abmessungen	
Breite	172 mm
Tiefe	260 mm
Höhe	124,5 mm
Gewicht *	2,2 kg

Lieferumfang	
Mitgelieferte Kabel	HDMI

Lieferumfang	
Tragetasche	✔

4711474818300

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-NOV-2026. Prints or copies of Information are only valid on the printed Publication date