ASUS Dual -RTX3050-O8G-V2 NVIDIA GeForce RTX 3050 8 GB GDDR6

Marke : ASUS

Produktfamilie: Dual

Artikel-Code: 90YV0GH6-M0NA00

Produktname : DUAL-RTX3050-O8G-V2



Dual GeForce RTX 3050 V2 OC Edition 8GB GDDR6 Gaming Grafikkarte (Nvidia RTX3050 V2, PCIe 4.0, HDMI 2.1, DisplayPort 1.4a, DUAL-RTX3050-O8G-V2)
ASUS Dual -RTX3050-O8G-V2. Grafikprozessorenfamilie: NVIDIA, GPU: GeForce RTX 3050. Separater Grafik-Adapterspeicher: 8 GB, Grafikkartenspeichertyp: GDDR6, Breite der Speicherschnittstelle: 128 Bit. Maximale Auflösung: 7680 x 4320 Pixel. OpenGL-Version: 4.6, Dual-Link-DVI. Schnittstelle: PCI Express 4.0. Kühlung: Aktiv, Anzahl Lüfter: 2 Lüfter



Prozessor	
CUDA *	✔
CUDA-Kerne	2560
Grafikprozessorenfamilie *	NVIDIA
GPU *	GeForce RTX 3050
Prozessor-Boost-Taktfrequenz	1822 MHz
Prozessor-Boost-Taktfrequenz (OC-Modus)	1852 MHz
Prozessor-Boost-Taktfrequenz (Gaming-Modus)	1822 MHz
Maximale Auflösung *	7680 x 4320 Pixel
Parallele Verarbeitungstechnologie *	Nicht unterstützt
Maximale Displays pro Videokarte	3

Speicher	
Separater Grafik-Adapterspeicher *	8 GB
Grafikkartenspeichertyp *	GDDR6
Breite der Speicherschnittstelle *	128 Bit
Datenübertragungsrate	14 Gbit/s

Anschlüsse und Schnittstellen	
Schnittstelle *	PCI Express 4.0
Anzahl HDMI-Anschlüsse *	1
HDMI-Version	2.1
Anzahl DVI-D-Anschlüsse *	1
Anzahl DisplayPort Anschlüsse *	1
DisplayPorts-Version	1.4a

Leistungen	
TV Tuner integriert *	✘

Leistungen	
OpenGL-Version *	4.6
HDCP	✔
HDCP-Version	2.3
Dual-Link-DVI *	✔
NVIDIA G-SYNC	✔

Design	
Kühlung *	Aktiv
Kühltechnik	ASUS Axial-tech
Anzahl Lüfter	2 Lüfter
Formfaktor	Full-Height/Half-Length (FH/HL)
Anzahl Slots	2
Beleuchtung	✔
Produktfarbe	Schwarz

Energie	
Min. Systemstromversogung *	550 W
Zusätzliche Stromanschlüsse	1x 6-pin

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10 x64, Windows 11 x64

Gewicht und Abmessungen	
Gewicht	500 g
Länge (mm)	200 mm
Tiefe	38 mm
Höhe	123 mm

Verpackungsdaten	
Verpackungsbreite	303 mm
Verpackungstiefe	220 mm
Verpackungshöhe	55 mm
Paketgewicht	837 g
Verpackungsart	Box

Lieferumfang	
Betriebsanleitung	✔



4711081772453



0195553772464



195553772464



0195553772457



195553772457

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 20-NOV-2026. Prints or copies of Information are only valid on the printed Publication date