Lenovo Broadcom 5719 Eingebaut Ethernet 1000 Mbit/s



Marke : Lenovo

Artikel-Code: 4XC7A08235

Produktname : Broadcom 5719

Lenovo Broadcom 5719. Eingebaut. Übertragungstechnik: Kabelgebunden, Hostschnittstelle: PCI Express, Schnittstelle: Ethernet. Maximale Datenübertragungsrate: 1000 Mbit/s. Produktfarbe: Grün, Edelstahl

Anschlüsse und Schnittstellen	
Übertragungstechnik *	Kabelgebunden
Hostschnittstelle *	PCI Express
Schnittstelle *	Ethernet
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	4
PCI version	2.0

Netzwerk	
Maximale Datenübertragungsrate *	1000 Mbit/s
Netzstandard *	IEEE 1588, IEEE 802.1Q, IEEE 802.1as, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z
Ethernet/LAN	✔
Ethernet Schnittstellen Typ	Gigabit Ethernet
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Wake-on-LAN bereit	✔
LAN-Controller	Broadcom BCM5719

Design	
Komponente für *	Server
Produktfarbe	Grün, Edelstahl
Eingebaut *	✔
Zertifizierung	EN55022, EN55024, EN60950 / CE, EN 61000-3-2, EN 61000-3-3, ICES-003, Issue-004, IEC 950 CB Scheme, FCC 47 CFR Part 15 Class A, UL 1950, CSA C22.2 950-95, VCCI, AS/NZSCISPR 22 / C-tick, RRL for KC, BSMI, UL 94-/V
Kompatible Produkte	R635 (7Y98 / 7Y99), R655 (7Y00 / 7Z01)

Systemanforderung	
Kompatible Betriebssysteme	Microsoft Windows Server version 1709, Microsoft Windows Server version 1803, Red Hat Enterprise Linux 6.10, Red Hat Enterprise Linux 6.9, Red Hat Enterprise Linux 7.3, Red Hat Enterprise Linux 7.4, Red Hat Enterprise Linux 7.5, Red Hat Enterprise Linux 7.6, Red Hat Enterprise Linux 7.7, Red Hat Enterprise Linux 8.0, SUSE Linux Enterprise Server 12 SP2, SUSE Linux Enterprise Server 12 SP2 with Xen, SUSE Linux Enterprise Server 12 SP3, SUSE Linux Enterprise Server 12 SP3 with Xen, SUSE Linux Enterprise Server 12 SP4, SUSE Linux Enterprise Server 12 SP4 with Xen, SUSE Linux Enterprise Server 15, SUSE Linux Enterprise Server 15 SP1, SUSE Linux Enterprise Server 15 SP1 with Xen, SUSE Linux Enterprise Server 15 with Xen, VMware vSphere Hypervisor (ESXi) 6.0 U3, VMware vSphere Hypervisor (ESXi) 6.5, VMware vSphere Hypervisor (ESXi) 6.5 U1, VMware vSphere Hypervisor (ESXi) 6.5 U2, VMware vSphere Hypervisor (ESXi) 6.5 U3, VMware vSphere Hypervisor (ESXi) 6.7, VMware vSphere Hypervisor (ESXi) 6.7 U1, VMware vSphere Hypervisor (ESXi) 6.7 U2, VMware vSphere Hypervisor (ESXi) 6.7 U3
Unterstützte Server-Betriebssysteme	SUSE Linux Enterprise Server 12, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Betriebsbedingungen	
Betriebstemperatur	10 - 35 °C
Relative Luftfeuchtigkeit in Betrieb	20 - 80%

Gewicht und Abmessungen	
Breite	69 mm
Tiefe	132 mm
Höhe	19 mm

Technische Details	
Konformitätsbescheinigungen	RoHS

Logistikdaten	
Warentarifnummer (HS)	85176990

Sonstige Funktionen	
Minimale Betriebstemperatur	10 °C
Maximale Betriebstemperatur	35 °C

Sonstige Funktionen	
Unterstützung Datenflusssteuerung	✔



0889488497287



889488497287

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date