TP-Link AC1200 Dualband-PCI-Express-WLAN-Adapter



Marke : TP-Link

Artikel-Code: ARCHER T4E

Produktname : AC1200 Dualband-PCI-Express-WLAN-Adapter

- Kinderleichte Installation – WLAN-Upgrade einfach durch Einstecken in den PCI-E-Slot Ihres Desktop-PCs
- Schnelle WLAN-Geschwindigkeit - 867 Mbit/s auf 5 GHz und 300 Mbit/s auf 2,4GHz für unterbrechungsfreies HD-Videostreaming und Online-Gaming
- 802.11ac Dual-Band - Funkt nach dem WLAN-Standard der Generation: 802.11ac, dreimal schneller als WLAN-N
- Beamforming-Technologie – Das WLAN-Signal wird gezielt in die Richtung der verbundenen Endgeräte gerichtet
- Unterschiedliche Steckplatzhöhe - Niedriges Profil und Normales Profil - geeignet für alle PC Gehäuse
- 2x2 MIMO- Einfacher Zugang für schnelle WLAN-Verbindung
- Größere Reichweite – Zwei externe Antennen für noch mehr Reichweite und verbesserte Stabilität

AC1200 Dualband-PCI-Express-WLAN-Adapter



Anschlüsse und Schnittstellen	
Übertragungstechnik *	Kabellos
Hostschnittstelle *	PCI Express
Schnittstelle *	WLAN
PCI-Karten-Formfaktor	Halbe Höhe (Niedriges Profil)

Netzwerk	
Maximale Datenübertragungsrate *	867 Mbit/s
Netzstandard *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
WLAN	✔
WLAN-Band	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard	Wi-Fi 5 (802.11ac)
WLAN-Standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Datenübertragungsgeschwindigkeit WLAN	11,54,300,867 Mbit/s
Modulation	16-QAM, 64-QAM, 256-QAM, CCK, DBPSK, DQPSK, OFDM
Unterstützte Sicherheitsalgorithmen	64-bit WEP, 128-bit WEP, 802.1x RADIUS, WPA, WPA-PSK, WPA2, WPA2-PSK
Bandbreite (erste)	2,4 GHz
Bandbreite (zweite)	5 GHz

Design	
Komponente für *	PC
Produktfarbe	Schwarz, Grün
Eingebaut *	✔
Antenne	✔
Antennen-Design	Extern
Sendeleistung (CE)	23 dbm
Sendeleistung (FCC)	24 dbm
Betriebsmodi	Infrastrukturmodus

Betriebsbedingungen	
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Nachhaltigkeit	
Nachhaltigkeitskonformität	✔

Gewicht und Abmessungen	
Breite	120,8 mm
Tiefe	115,2 mm
Höhe	21,5 mm

Verpackungsdaten	
Niederprofilhalterung	✔
Menge pro Packung	1 Stück(e)
Verpackungsart	Box
Verpackungsbreite	207 mm
Verpackungstiefe	148 mm
Verpackungshöhe	42 mm
Paketgewicht	300 g

Lieferumfang	
Montageblöcke enthalten	✔
Ressourcen-CD	✔
Schnellinstallationsanleitung	✔

Technische Details	
Konformitätsbescheinigungen	RoHS, Eidgenössische Kommunikationskommission (FCC), CE

Logistikdaten	
Warentarifnummer (HS)	85176990

Sonstige Funktionen	
Entfernbare Antennen	✔

Publication date: 21-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C

Sonstige Funktionen	
Anzahl der Antennen	2
Sendeleistungsbereich	59,5 - 92 dBmW
Störungsfrei	✔

6935364089931

8885020628517

1210002602426

0810142824101

810142824101

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-NOV-2026. Prints or copies of Information are only valid on the printed Publication date