ASUS ROG Keris II Ace Wireless AimPoint White Maus Gaming Rechts RF Wireless + Bluetooth + USB Type-A Optisch 42000 DPI









Marke : ASUS

Produktfamilie: ROG

Artikel-Code: 90MP03N0-BMUA10

Produktname : ROG Keris II Ace Wireless AimPoint White

ROG Keris II Ace Wireless AimPoint White Gaming Maus (ergonomisch, optischer Sensor ROG AimPoint Pro, 42.000 dpi, ROG Optical Micro Switches, USB, Bluetooth, 2,4-GHz-HF ROG SpeedNova, weiß) ASUS ROG Keris II Ace Wireless AimPoint White. Formfaktor: Rechts. Bewegungerfassungs Technologie: Optisch, Geräteschnittstelle: RF Wireless + Bluetooth + USB Type-A, Bewegung Auflösung: 42000 DPI, Tastentyp: Gedrückte Tasten, Knopfanzahl: 4, Scroll Typ: Rad, Beschleunigung (Max.): 50 G. Farben der Beleuchtung: Multi. Energiequelle: Batterien / Kabel. Produktfarbe: Weiß

Maus	
Anzahl der Scroll-Rollen	1
Scroll-Richtungen	Senkrecht
Zweck *	Gaming
Geräteschnittstelle *	RF Wireless + Bluetooth + USB Type-A
Bewegungerfassungs Technologie *	Optisch
Bewegung Auflösung *	42000 DPI
Tastentyp	Gedrückte Tasten
Scroll Typ *	Rad
Knopfanzahl *	4
Tastenhaltbarkeit (Millionen Klicks)	100
Maus-Tracking-Geschwindigkeit	750 ips
Anpassbare Bewegungsauflösung	✔
Beschleunigung (Max.)	50 G
Stimmabgabe Rate	4000,8000 Hz
Frequenzband	2.4 GHz
Bluetooth-Version	5.1

Design	
Formfaktor *	Rechts
Intelligentes, ergonomisches Design	✔
Produktfarbe *	Weiß
Oberflächenfärbung	Einfarbig
Beleuchtung	✔
Farben der Beleuchtung	Multi

Energie	
Energiequelle *	Batterien / Kabel
Wiederaufladbar	✔
Akku-/Batterietyp	Integrierte Batterie
Akku-/Batteriebetriebsdauer	134 h
USB Typ-C Ladeport *	✔
USB Power Delivery	✔
Erforderliche Ladeleistung (min.) *	0,3 W
Erforderliche Ladeleistung (max.) *	2,5 W

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 11

Gewicht und Abmessungen	
Breite	67 mm
Tiefe	121 mm
Höhe	42 mm
Gewicht	54 g

Verpackungsdaten	
Menge pro Packung *	1 Stück(e)
AC-Netzadapter *	✘

Lieferumfang	
Receiver enthalten	✔
Kabelloser Receiver-Anschluss	USB Typ-A
Benutzerhandbuch	✔

Ergonomie	
Kabellänge	2 m

Lieferumfang	
Garantiekarte	✔

Akku/Batterie	
Akku-/Batterietechnologie	Lithium-Ion (Li-Ion)

4711387394618

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-NOV-2026. Prints or copies of Information are only valid on the printed Publication date