StarTech.com Gigabit Ethernet PCI Express Low Profile Netzwerkkarte - PCIe Server NIC Netzwerkadapter

Marke : StarTech.com

Artikel-Code: ST1000SPEX2L



Produktname : Gigabit Ethernet PCI Express Low Profile Netzwerkkarte - PCIe Server NIC Netzwerkadapter

StarTech.com Gigabit Ethernet PCI Express Low Profile Netzwerkkarte - PCIe Server NIC Netzwerkadapter 10 / 100 / 1000 Mbit/s

StarTech.com Gigabit Ethernet PCI Express Low Profile Netzwerkkarte - PCIe Server NIC Netzwerkadapter:

Rüsten Sie Ihren PC mit PCI Express-Steckplatz um einen 10/100/1000 Mbit/s Ethernet-Port auf.



Die Low Profile-PCIe-Gigabit-Netzwerkkarte ST1000SPEX2L ergänzt einen PCI Express-fähigen Client, Server oder Workstation um einen 10/100/1000-Mbit/s-kompatiblen RJ45-Ethernet-Port und bietet somit eine Zusatz- oder Ersatz-Netzwerkschnittstelle.

Dieser vielseitige Gigabit NIC/Server-Adapter entspricht den IEEE 802.3/u/ab-Normen, unterstützt 9K Jumbo Frames, VLAN-Tagging und Wake-on-LAN (WOL) und bietet effektive Netzwerkleistung.

Die Karte wird mit vormontiertem Low Profile-/Halbhöhen-Installations-Slotblech und mit einem Standard Profile-Slotblech für die Installation in einer Vielzahl von Computer-/Servergehäusen unabhängig vom Formfaktor geliefert.

The StarTech.com Advantage

Anschlüsse und Schnittstellen	
Übertragungstechnik *	Kabelgebunden
Hostschnittstelle *	PCI Express
Schnittstelle *	Ethernet
Netzwerk	
Maximale Datenübertragungsrate *	1000 Mbit/s
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Ethernet/LAN	✔
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Verkabelungstechnologie	10/100/1000BaseT(X)
Auto MDIX IEEE	✔
Vollduplex	✔
Jumbo Frames Unterstützung	✔
Jumbo-Frames	9000
Unterstützte Netzwerkprotokolle	CSMA/CD
Design	
Eingebaut *	✔
Chipsatz	Realtek - RTL8111H
LED-Anzeigen	Aktivität, Link
Zertifizierung	CE, FCC, REACH

Systemanforderung	
Unterstützte Linux-Betriebssysteme	✔
Unterstützte Server-Betriebssysteme	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Betriebsbedingungen	
Betriebstemperatur	0 - 70 °C
Temperaturbereich bei Lagerung	0 - 100 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Gewicht und Abmessungen	
Breite	18 mm
Tiefe	70 mm
Höhe	49 mm
Gewicht	27 g
Verpackungsdaten	
Verpackungsbreite	173 mm
Verpackungstiefe	144 mm
Verpackungshöhe	31 mm
Paketgewicht	125 g
Lieferumfang	
Betriebsanleitung	✔
Technische Details	
Konformitätsbescheinigungen	RoHS
Logistikdaten	
Warentarifnummer (HS)	85176990
Sonstige Funktionen	
Power-LED	✔

Systemanforderung		Sonstige Funktionen	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Link/Act-LED	✔
Unterstützt Mac-Betriebssysteme	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks		

0065030852265

065030852265

5055851320918

5054484496236

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date